
| Ref<br># | Hits   | Search Query   | DBs                            | Default<br>Operator | Plurals | Time Stamp       |
|----------|--------|--|--------------------------------|---------------------|---------|------------------|
| L1       | 7272   | (detect\$3 or sens\$3 or monitor\$3<br>or track\$3) near7 (parking or<br>garage)   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 11:39 |
| L2       | 342834 | (indicat\$3 or alarm\$3 or alert\$3 or<br>warn\$3 or notification or notify\$3)<br>near7 (proximity or colli\$4 or<br>distance or position)  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 11:41 |
| L3       | 1038   | 1 and 2  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 11:41 |
| L4       | 169    | (activat\$3 or actuat\$3 or turn\$3on<br>or operate) near5 ((approach\$3 or<br>before or prior or advanc\$3) near7<br>(garage or parking))   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:24 |
| L5       | 21     | 3 and 4  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:18 |
| L6       | 42     | (("5504314") or ("5483501") or ("5432508") or ("5386285") or ("5293152") or ("5285205") or ("5231392") or ("5212467") or ("5208586") or ("5177479") or ("5028920") or ("5012222") or ("5004997") or ("4855736") or ("4808997") or ("4361202") or ("4346293") or ("4146107") or ("4013851") or ("3493925")).PN. | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | OFF     | 2005/08/09 12:20 |
| L7       | 1      | 2 and 4 and 6  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:25 |
| L8       | 9      | 3 and 6  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:29 |
| L9       | 5      | (5 or 6) and (video or camera or CCD)  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:36 |
| L10      | 12     | (5 or 6) and ((remot\$3 or wireless or radio or RF or IR) near4 control\$3)  | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:39 |
| L11      | 11     | (5 or 6) and (shut\$4 or clos\$3 or<br>turn\$off or ceas\$3) near7 (period<br>or time)   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/08/09 12:40 |

| US 6163253 A    | Method and apparatu: 340/436     | 340/435; 340/932.2               |
|-----------------|----------------------------------|----------------------------------|
| US 5945907 A    | Apparatus and methor 340/436     | 340/435; 340/932.2               |
| US 5208586 A    | Ultrasonic vehicle pos 340/932.2 | 340/943                          |
| US 5165200 A    | Parking space barrier 49/49      | 49/9                             |
| US 6913325 B2   | Electrically operable v303/2     | 188/162; 188/34; 303/20          |
| US 6880426 B2   | Parking brake for a mr74/512     | 384/416; 384/428; 74/500.5; 74/5 |
| US 6791799 B2   | Digital device configur 360/255  |                                  |
| US 6597291 B2   | Garage door monitorir 340/686.1  | 340/5.7; 340/5.71; 340/545.1     |
| US 6522967 B1   | Powered park brake r 701/70      | 188/171; 701/36                  |
| US 6340935 B1   | Computerized parking 340/932.2   | 340/905; 340/933; 340/937; 340/9 |
| US 6173532 B1   | Automatic garage doo 49/199      |                                  |
| US 6135230 A    | Interlock control syste 180/273  | 180/269; 701/50                  |
| US 5990828 A    | Directional garage do:342/359    | 341/176; 49/25                   |
| US 5704457 A    | Parking system for a v192/220.2  | 477/10                           |
| US 5444440 A    | Operating circuits for  340/5.3  | 340/5.64; 340/5.71; 340/542; 340 |
| US 5402105 A    | Garage door position 340/539.22  | 340/539.14; 340/545.5; 340/546;  |
| US 5303101 A    | Active magnetic latch 360/256    |                                  |
| US 4921076 A    | Vehicle park braking £188/72.6   | 188/251A; 188/353; 188/72.8      |
| US 4825425 A    | Parking meter reset d 368/7      | 368/90                           |
| US 4819379 A    | Electromagnetic garaç 49/280     | 49/199                           |
| JP 2002321581 A | PARKING METHOD, PARKING S        | SUPPORT EQUIPMENT, FIELD O       |

| US 5231392 A | Portable vehicle parki 340/932.2   | 116/28R; 200/61.41                    |
|--------------|------------------------------------|---------------------------------------|
| US 5208586 A | Ultrasonic vehicle pos 340/932.2   | 340/943                               |
| US 5177479 A | Garage parking positi 340/932.2    | 340/933                               |
| US 5432508 A | Technique for facilitati 340/932.2 | 340/942; 377/9                        |
| US 5212467 A | Object detecting appa 340/435      | 340/436; 340/901; 340/903; 367/9      |
| US 5004997 A | Parking aid device 340/436         | 340/309.16; 340/435; 340/932.2;       |
| US 4361202 A | Automated road trans   180/168     | 104/88.02; 246/167D; 342/71; 70       |
| US 5432508 A | Motor vehicle parking monitor de   | tecting and indicating availability c |
| US 5177479 A | Garage parking position indicator  | r using wave energy - has wave er     |



| US 5208586 A  | Ultrasonic vehicle pos 340/932.2 | 340/943                          |
|---------------|----------------------------------|----------------------------------|
| US 6791799 B2 | Digital device configur 360/255  |                                  |
| US 6340935 B1 | Computerized parking 340/932.2   | 340/905; 340/933; 340/937; 340/9 |
| US 5212467 A  | Object detecting appa 340/435    | 340/436; 340/901; 340/903; 367/9 |
| US 4361202 A  | Automated road trans 180/168     | 104/88.02; 246/167D; 342/71; 70  |

L9